
From: Chan, Valerie
To: Scott Arentsen; Edward N Rizer
CC: Patterson, Leslie; Renninger, Steven; Madelyn.Adams@epa.ohio.gov; Hayward, Julian; Project Email Filing
Sent: 8/16/2016 12:42:47 PM
Subject: Notification of elevated methane levels adjacent to Dayton Power and Light, Dryden Road, Moraine, Ohio ~COR-038443-201~
Attachments: 038443Arentsen-Rizer-1-Notification of Elevated Methane Levels.pdf

Hello Mr. Arentsen and Mr. Rizer

Please find attached a letter providing notification of elevated methane levels adjacent to the Dayton Power and Light Company property located at 1900 Dryden Road in Moraine, Ohio.
Should you have any questions or comments, feel free to contact us.

Thank you,
Valerie

Valerie Chan, P.Eng.

GHD

T: 1 519 884 0510 | F: 1 519 884 0525 | E: valerie.chan@ghd.com
651 Colby Drive Waterloo Ontario N2V 1C2 Canada | www.ghd.com
[WATER](#) | [ENERGY & RESOURCES](#) | [ENVIRONMENT](#) | [PROPERTY & BUILDINGS](#) | [TRANSPORTATION](#)

Please consider our environment before printing this email